



Message Implementation Guideline

## **EDIFACT ORDERS**

based on

### **ORDERS**

Purchase Order Message

**UN/EDIFACT D.05B**

***Version 2***

Version: D.05B  
Issue date: 11.08.2022  
Author: CI/PO1  
Contact: SupportSales.EDI@de.bosch.com

Purchase Order Message

Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNA	C	1	0	Service string advice
0000	2	UNB	M	1	0	Interchange header
0010	3	UNH	M	1	0	Message header
0020	4	BGM	M	1	0	Beginning of message
0030	5	DTM	M	1	1	Document date
0030	6	DTM	C	1	1	Requested delivery date
0030	7	DTM	C	1	1	Order date
0070	8	FTX	C	1	1	General information
0070	9	FTX	C	1	1	Order instruction
0070	10	FTX	C	2	1	Order information
0090		SG1	C	1	1	Offer number
0100	11	RFF	M	1	1	Application Reference
0110	12	DTM	C	1	2	Date/time/period
0090		SG1	C	1	1	Frame contract
0100	13	RFF	M	1	1	Application Reference
0110	14	DTM	C	1	2	Date/time/period
0120		SG2	R	1	1	Buyer
0130	15	NAD	M	1	1	Buyer Name and Address
0160		SG3	C	1	2	Buyer Reference
0170	16	RFF	M	1	2	VAT Number
0220		SG5	C	1	2	Buyer Contact Details
0230	17	CTA	M	1	2	Contact information
0240	18	COM	C	3	3	Communication contact
0120		SG2	R	1	1	Seller/Supplier
0130	19	NAD	M	1	1	Seller Name and Address
0160		SG3	C	1	2	Seller Reference
0170	20	RFF	M	1	2	VAT Number
0220		SG5	C	1	2	Seller Contact Details
0230	21	CTA	M	1	2	Contact information
0240	22	COM	C	3	3	Communication contact
0120		SG2	D	1	1	Consignee/ShipTo (required on header or position level)
0130	23	NAD	M	1	1	Consignee Name and Address
0140	24	LOC	C	1	2	Place of Discharge
0140	25	LOC	C	1	2	Additional internal destination
0220		SG5	C	1	2	Consignee Contact Details
0230	26	CTA	M	1	2	Contact information
0240	27	COM	C	3	3	Communication contact

Counter = Counter of segment/group within the standard  
 No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

**Structure / Table of Contents**

Counter	No	Tag	St	MaxOcc	Level	Content
1030		<b>SG28</b>	R	999	1	Ordered Articles
1040	28	<b>LIN</b>	M	1	1	Line item
1050	29	<b>PIA</b>	C	1	2	Material number vendor
1060	30	<b>IMD</b>	C	5	2	Article Description and product / service type
1080	31	<b>QTY</b>	M	1	2	Quantity
1110	32	<b>DTM</b>	M	1	2	Delivery Date requested
1120	33	<b>MOA</b>	C	1	2	Line item amount
1200	34	<b>FTX</b>	C	20	2	General information
1210		<b>SG29</b>	C	999	2	Additional configurable material information
1220	35	<b>CCI</b>	M	1	2	Characteristics
1230	36	<b>CAV</b>	R	1	3	Specification common product characteristic by value
1320		<b>SG32</b>	C	1	2	Item Net Price
1330	37	<b>PRI</b>	M	1	2	Price details
1340	38	<b>CUX</b>	C	1	3	Currencies
1380		<b>SG33</b>	C	1	2	Offer number
1390	39	<b>RFF</b>	M	1	2	Reference
1400	40	<b>DTM</b>	C	1	3	Date/time/period
1380		<b>SG33</b>	C	1	2	Frame contract
1390	41	<b>RFF</b>	M	1	2	Reference
1400	42	<b>DTM</b>	C	1	3	Date/time/period
1560		<b>SG37</b>	C	1	2	Place/port of discharge
1570	43	<b>LOC</b>	M	1	2	Place/location identification
1560		<b>SG37</b>	C	1	2	Additional internal destination
1570	44	<b>LOC</b>	M	1	2	Place/location identification
1650		<b>SG39</b>	D	1	2	Consignee position level (required on header or position level)
1660	45	<b>NAD</b>	M	1	2	Consignee Name and Address
2330	46	<b>UNS</b>	M	1	0	Section control
2340	47	<b>MOA</b>	C	1	1	Total Amount
2400	48	<b>UNT</b>	M	1	0	Message trailer
0000	49	<b>UNZ</b>	M	1	0	Interchange trailer

**Attention!! UNH-UNT can be repeated !!**

Counter = Counter of segment/group within the standard  
 No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0000	1	<b>UNA</b>	C	1	0	Service string advice

Standard			Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
UNA					
UNA1	Component data element separator	M an1	M an1		
UNA2	Data element separator	M an1	M an1		
UNA3	Decimal notation	M an1	M an1		
UNA4	Release indicator	M an1	M an1		
UNA5	Reserved for future use	M an1	M an1		
UNA6	Segment terminator	M an1	M an1		

**Remark:**

**Example:**

UNA:+.? '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

**Segments**

Counter	No	Tag	St	MaxOcc	Level	Name
0000	2	<b>UNB</b>	M	1	0	Interchange header

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	Syntax identifier	M	M	
0001	Syntax identifier	M a4	M a4	<b>UNOC UN/ECE level C</b>
0002	Syntax version number	M n1	M n1	<b>3 Version 3</b>
S002	Interchange sender	M	M	
0004	Sender identification	M an..35	M an..35	your SenderID
0007	Partner identification code qualifier	C an..4	C an..4	your PartnerID-code-qualifier
0008	Address for reverse routing	C an..14	N	Not used
S003	Interchange recipient	M	M	
0010	Recipient identification	M an..35	M an..35	"ECCREX" in case of UNB_0035=1 "ECCREX-TEST" For other Bosch Divisions see <b>Appendix 1</b>
0007	Partner identification code qualifier	C an..4	C an..4	"ZZ"
0014	Routing address	C an..14	N	Not used
S004	Date/time of preparation	M	M	
0017	Date of preparation	M n6	M n6	format YYMMDD
0019	Time of preparation	M n4	M n4	format HHNN
0020	Interchange control reference	M an..14	M an..14	unique reference assigned by sender
S005	Recipient's reference, password	C	N	
0022	Recipient's reference/password	M an..14	N	Not used
0025	Recipient's reference/password qualifier	C an2	N	Not used
0026	Application reference	C an..14	N	Not used
0029	Processing priority code	C a1	N	Not used
0031	Acknowledgement request	C n1	N	Not used
0032	Communications agreement ID	C an..35	N	Not used
0035	Test indicator	C n1	C n1	In case of test <b>1 Interchange is a test</b>

**Remark:**

**Example:**

UNB+UNOC:3+YourSenderID:YourPartnerID-code-qualifier+ECCREX-TEST:ZZ+210226:1321+0000100002+++++1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0010	3	<b>UNH</b>	M	1	0	Message header

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	<b>ORDERS Purchase order message</b>
0052	Message version number	M an..3	M an..3	<b>D Draft version/UN/EDIFACT Directory</b>
0054	Message release number	M an..3	M an..3	<b>05B Release 2005 - B</b>
0051	Controlling agency	M an..2	M an..2	<b>UN UN/CEFACT</b>
0057	Association assigned code	C an..6	N	Not used
0068	Common access reference	C an..35	N	Not used
S010	Status of the transfer	C	N	
0070	Sequence of transfers	M n..2	N	Not used
0073	First and last transfer	C a1	N	Not used

**Remark:**

**Example:**

UNH+1+ORDERS:D:05B:UN'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0020	4	<b>BGM</b>	M	1	0	Beginning of message

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
BGM					
C002	Document/message name	C	R		
1001	Document name code	C an..3	R an..3	<b>220 Order</b>	
1131	Code list identification code	C an..17	N	Not used	
3055	Code list responsible agency code	C an..3	N	Not used	
1000	Document name	C an..35	N	Not used	
C106	Document/message identification	C	C		
1004	Document identifier	C an..35	R an..35	Document Number	
1056	Version identifier	C an..9	N	Not used	
1060	Revision identifier	C an..6	N	Not used	
1225	Message function code	C an..3	R an..3	<b>9 Original</b>	
4343	Response type code	C an..3	N	Not used	

**Remark:**

**Example:**

BGM+220+1234567890+9'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0030	5	<b>DTM</b>	M	1	1	Document date

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>137 Document/message date/time</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

**Example:**

DTM+137:20210226:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)



# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0030	6	<b>DTM</b>	C	1	1	Requested delivery date

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>2 Delivery date/time, requested</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

**Example:**

DTM+2:20210301:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0030	7	<b>DTM</b>	C	1	1	Order date

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>4 Order date/time</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

**Example:**

DTM+4:20210226:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0070	8	<b>FTX</b>	C	1	1	General information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<b>AAI General information</b>
4453	Free text function code	C an..3	N	Not used
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C108	Text literal	C	R	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
3453	Language name code	C an..3	C an..3	for example <b>DE German</b> <b>EN English</b> <b>FR French</b>
4447	Free text format code	C an..3	N	Not used

**Remark:**

**Example:**

FTX+AAI+++Allgemeine Informationen+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0070	9	<b>FTX</b>	C	1	1	Order instruction

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<b>ORI Order instruction</b>
4453	Free text function code	C an..3	N	Not used
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C108	Text literal	C	R	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
3453	Language name code	C an..3	C an..3	for example <b>DE German</b> <b>EN English</b> <b>FR French</b>
4447	Free text format code	C an..3	N	Not used

**Remark:**

**Example:**

FTX+ORI+++Bestellanweisung+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0070	10	<b>FTX</b>	C	2	1	Order information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<b>COI Order information</b>
4453	Free text function code	C an..3	N	Not used
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C108	Text literal	C	R	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
3453	Language name code	C an..3	C an..3	for example <b>DE German</b> <b>EN English</b> <b>FR French</b>
4447	Free text format code	C an..3	N	Not used

**Remark:**

**Example:**

FTX+COI+++Lieferung gemäss Vereinbarung+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0090	<b>SG1</b>	C	1	1	Offer number
	0100	11	<b>RFF</b>	M	1	Application Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	<b>AAG Offer number</b>
1154	Reference identifier	C an..70	R an..70	
1156	Document line identifier	C an..6	C an..6	Line number
4000	Reference version identifier	C an..35	N	Not used
1060	Revision identifier	C an..6	N	Not used

**Remark:**

**Example:**

RFF+AAG:Offer-123456:1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name	
	0090	<b>SG1</b>	C	1	1	Offer number	
	0110	12	<b>DTM</b>	C	1	2	Date/time/period

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
<b>DTM</b>				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>171 Reference date/time</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

Reference date

**Example:**

DTM+171:20210201:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0090	<b>SG1</b>	C	1	1	<b>Frame contract</b>
	0100	13	<b>RFF</b>	M	1	<b>Application Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	<b>CT Contract number</b>
1154	Reference identifier	C an..70	R an..70	
1156	Document line identifier	C an..6	C an..6	Line number
4000	Reference version identifier	C an..35	N	Not used
1060	Revision identifier	C an..6	N	Not used

**Remark:**

**Example:**

REF+CT:9678-456-123V1:X'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)



# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0090		<b>SG1</b>	C	1	1	<b>Frame contract</b>
0110	14	<b>DTM</b>	C	1	2	<b>Date/time/period</b>

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
<b>DTM</b>				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>171 Reference date/time</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**  
Reference date

**Example:**  
DTM+171:20210201:102'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
O=Optional, F=Floating, D=Dependent, A=Advised,  
S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0120		<b>SG2</b>	R	1	1	Buyer
0130	15	<b>NAD</b>	M	1	1	Buyer Name and Address

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
NAD					
3035	Party function code qualifier	M an..3	M an..3	<b>BY Buyer</b>	
C082	Party identification details	C	R		
3039	Party identifier	M an..35	M an..35	in case of 3055 = 91, 7-digit BOSCH customer code	
1131	Code list identification code	C an..17	N	Not used	
3055	Code list responsible agency code	C an..3	R an..3	<b>91 Assigned by seller or seller's agent</b> <b>92 Assigned by buyer or buyer's agent</b>	
C058	Name and address	C	N		
3124	Name and address description	M an..35	N	Not used	
3124	Name and address description	C an..35	N	Not used	
3124	Name and address description	C an..35	N	Not used	
3124	Name and address description	C an..35	N	Not used	
3124	Name and address description	C an..35	N	Not used	
C080	Party name	C	C		
3036	Party name	M an..35	M an..35		
3036	Party name	C an..35	C an..35		
3036	Party name	C an..35	N	Not used	
3036	Party name	C an..35	N	Not used	
3036	Party name	C an..35	N	Not used	
3045	Party name format code	C an..3	N	Not used	
C059	Street	C	C		
3042	Street and number or post office box identifier	M an..35	M an..35		
3042	Street and number or post office box identifier	C an..35	N	Not used	
3042	Street and number or post office box identifier	C an..35	N	Not used	
3042	Street and number or post office box identifier	C an..35	N	Not used	
3164	City name	C an..35	C an..35		
C819	Country sub-entity details	C	N		
3229	Country sub-entity name code	C an..9	N	Not used	
1131	Code list identification code	C an..17	N	Not used	
3055	Code list responsible agency code	C an..3	N	Not used	
3228	Country sub-entity name	C an..70	N	Not used	
3251	Postal identification code	C an..17	C an..17		
3207	Country name code	C an..3	C an..3	use ISO 3166-1, for example <b>DE GERMANY</b>	

Remark:

Example:

NAD+BY+6110566::92++Buyer Name 1:Buyer Name 2+Buyer Street 1+Buyer City++94315+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name	
	0160	<b>SG3</b>	C	1	2	<b>Buyer Reference</b>	
	0170	16	<b>RFF</b>	M	1	2	<b>VAT Number</b>

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
RFF					
C506	Reference	M	M		
1153	Reference code qualifier	M an..3	M an..3	<b>VA VAT registration number</b>	
1154	Reference identifier	C an..70	R an..70	Buyer's VAT Registration Number	
1156	Document line identifier	C an..6	N	Not used	
4000	Reference version identifier	C an..35	N	Not used	
1060	Revision identifier	C an..6	N	Not used	

**Remark:**

**Example:**

RFF+VA:DE812210222'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0220	<b>SG5</b>	C	1	2	<b>Buyer Contact Details</b>
	0230	17 <b>CTA</b>	M	1	2	<b>Contact information</b>

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	<b>IC Information contact</b>
C056	Department or employee details	C	C	
3413	Department or employee name code	C an..17	O an..17	
3412	Department or employee name	C an..35	C an..35	

**Remark:**

**Example:**

CTA+IC+Buyer Purch. Dep.:Buyers Contact'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0220	<b>SG5</b>	C	1	2	<b>Buyer Contact Details</b>
	0240	18 <b>COM</b>	C	3	3	<b>Communication contact</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication address code qualifier	M an..3	M an..3	<b>EM Electronic mail</b> <b>FX Telefax</b> <b>TE Telephone</b>

**Remark:**

**Example:**

COM+?+49 (711) 811-0:TE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0120	<b>SG2</b>	R	1	1	<b>Seller/Supplier</b>
	0130	19 <b>NAD</b>	M	1	1	<b>Seller Name and Address</b>

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
<b>NAD</b>				
3035	Party function code qualifier	M an..3	M an..3	<b>SU Supplier</b>
C082	Party identification details	C	R	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	R an..3	<b>91 Assigned by seller or seller's agent</b> <b>92 Assigned by buyer or buyer's agent</b>
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
C080	Party name	C	C	
3036	Party name	M an..35	M an..35	
3036	Party name	C an..35	C an..35	
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3045	Party name format code	C an..3	N	Not used
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	N	Not used
3042	Street and number or post office box identifier	C an..35	N	Not used
3042	Street and number or post office box identifier	C an..35	N	Not used
3164	City name	C an..35	C an..35	
C819	Country sub-entity details	C	N	
3229	Country sub-entity name code	C an..9	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3228	Country sub-entity name	C an..70	N	Not used
3251	Postal identification code	C an..17	C an..17	
3207	Country name code	C an..3	C an..3	use ISO 3166-1, for example <b>DE GERMANY</b>

**Remark:**

**Example:**

NAD+SU+123456789::92++Seller Name1:Sellerr Name 2+Sellerr Street 2+Seller City++98765+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0160	<b>SG3</b>	C	1	2	<b>Seller Reference</b>
	0170	20 <b>RFF</b>	M	1	2	<b>VAT Number</b>

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
RFF					
C506	Reference	M	M		
1153	Reference code qualifier	M an..3	M an..3	<b>VA VAT registration number</b>	
1154	Reference identifier	C an..70	R an..70	Seller's VAT Registration Number	
1156	Document line identifier	C an..6	N	Not used	
4000	Reference version identifier	C an..35	N	Not used	
1060	Revision identifier	C an..6	N	Not used	

**Remark:**

**Example:**

RFF+VA:DE812210222'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name	
	0220	<b>SG5</b>	C	1	2	<b>Seller Contact Details</b>	
	0230	21	<b>CTA</b>	M	1	2	<b>Contact information</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	<b>IC Information contact</b>
C056	Department or employee details	C	C	
3413	Department or employee name code	C an..17	O an..17	
3412	Department or employee name	C an..35	C an..35	

**Remark:**

**Example:**

CTA+IC+Seller Department: Seller Contact'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)



# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0220	<b>SG5</b>	C	1	2	<b>Seller Contact Details</b>
	0240	22 <b>COM</b>	C	3	3	<b>Communication contact</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication address code qualifier	M an..3	M an..3	<b>EM Electronic mail</b> <b>FX Telefax</b> <b>TE Telephone</b>

**Remark:**

**Example:**

COM+?+49 (711) 811-0:TE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0120	<b>SG2</b>	D	1	1	Consignee/ShipTo (required on header or position level)
	0130	<b>NAD</b>	M	1	1	Consignee Name and Address

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	<b>CN Consignee</b> <b>ST Ship to</b>
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	C an..3	<b>91 Assigned by seller or seller's agent</b> <b>92 Assigned by buyer or buyer's agent</b>
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
C080	Party name	C	D	
3036	Party name	M an..35	M an..35	
3036	Party name	C an..35	C an..35	
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3045	Party name format code	C an..3	N	Not used
C059	Street	C	D	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	N	Not used
3042	Street and number or post office box identifier	C an..35	N	Not used
3042	Street and number or post office box identifier	C an..35	N	Not used
3164	City name	C an..35	D an..35	
C819	Country sub-entity details	C	N	
3229	Country sub-entity name code	C an..9	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3228	Country sub-entity name	C an..70	N	Not used
3251	Postal identification code	C an..17	D an..17	
3207	Country name code	C an..3	D an..3	use ISO 3166-1, for example

**Remark:**

If ship-to number is not available, name and address details are required

**Example:**

NAD+CN+7744987::92++Consignee Name 1:Consignee Name 2+Consignee Street 15+Consignee City++94315+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0120	<b>SG2</b>	D	1	1	Consignee/ShipTo (required on header or position level)
	0140	24 <b>LOC</b>	C	1	2	Place of Discharge

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
<b>LOC</b>				
3227	Location function code qualifier	M an..3	M an..3	<b>11 Place/port of discharge</b>
C517	Location identification	C	R	
3225	Location name code	C an..35	R an..35	Place Of Discharge Identification Coded
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3224	Location name	C an..256	N	Not used
C519	Related location one identification	C	N	
3223	First related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3222	First related location name	C an..70	N	Not used
C553	Related location two identification	C	N	
3233	Second related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3232	Second related location name	C an..70	N	Not used
5479	Relation code	C an..3	N	Not used

**Remark:**

**Example:**

LOC+11+P0815'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0120	<b>SG2</b>	D	1	1	Consignee/ShipTo (required on header or position level)
	0140	25 <b>LOC</b>	C	1	2	Additional internal destination

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
<b>LOC</b>				
3227	Location function code qualifier	M an..3	M an..3	<b>159 Additional internal destination</b>
C517	Location identification	C	R	
3225	Location name code	C an..35	R an..35	Additional internal destination coded
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3224	Location name	C an..256	N	Not used
C519	Related location one identification	C	N	
3223	First related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3222	First related location name	C an..70	N	Not used
C553	Related location two identification	C	N	
3233	Second related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3232	Second related location name	C an..70	N	Not used
5479	Relation code	C an..3	N	Not used

**Remark:**

**Example:**

LOC+159+PVB-4711'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0220	<b>SG5</b>	C	1	2	<b>Consignee Contact Details</b>
	0230	26 <b>CTA</b>	M	1	2	<b>Contact information</b>

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	<b>IC Information contact</b>
C056	Department or employee details	C	C	
3413	Department or employee name code	C an..17	O an..17	
3412	Department or employee name	C an..35	C an..35	

**Remark:**

**Example:**

CTA+IC+Consignee Dep.:Consignee Contact'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	0220	<b>SG5</b>	C	1	2	Consignee Contact Details
	0240	27 <b>COM</b>	C	3	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication address code qualifier	M an..3	M an..3	<b>EM Electronic mail</b> <b>FX Telefax</b> <b>TE Telephone</b>

**Remark:**

**Example:**

COM+?+49 (711) 811-0:TE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1030		<b>SG28</b>	R	999	1	Ordered Articles
1040	28	<b>LIN</b>	M	1	1	Line item

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
<b>LIN</b>					
1082	Line item identifier	C an..6	R an..6	Line item number	
1229	Action request/notification description code	C an..3	C an..3	<b>1 Added</b>	
C212	Item number identification	C	R		
7140	Item identifier	C an..35	C an..35		
7143	Item type identification code	C an..3	R an..3	<b>BP Buyer's part number</b>	
1131	Code list identification code	C an..17	N	Not used	
3055	Code list responsible agency code	C an..3	N	Not used	
C829	Sub-line information	C	C		
5495	Sub-line indicator code	C an..3	R an..3	<b>1 Sub-line information</b>	
1082	Line item identifier	C an..6	R an..6		
1222	Configuration level number	C n..2	N	Not used	
7083	Configuration operation code	C an..3	N	Not used	

**Remark:**

**Example:**

LIN+00010++Buyers item number:BP+1:1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1030		<b>SG28</b>	R	999	1	Ordered Articles
1050	29	<b>PIA</b>	C	1	2	Material number vendor

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PIA				
4347	Product identifier code qualifier	M an..3	M an..3	<b>5 Product identification</b>
C212	Item number identification	M	M	
7140	Item identifier	C an..35	R an..35	
7143	Item type identification code	C an..3	R an..3	<b>SA Supplier's article number</b>
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C212	Item number identification	C	N	
7140	Item identifier	C an..35	N	Not used
7143	Item type identification code	C an..3	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C212	Item number identification	C	N	
7140	Item identifier	C an..35	N	Not used
7143	Item type identification code	C an..3	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C212	Item number identification	C	N	
7140	Item identifier	C an..35	N	Not used
7143	Item type identification code	C an..3	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used

Remark:

Example:

PIA+5+Supplier Article Number:SA'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)



# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1030	<b>SG28</b>	R	999	1	Ordered Articles
	1060	<b>IMD</b>	C	5	2	Article Description and product / service type

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
IMD					
7077	Description format code	C an..3	C an..3	<b>F Free-form</b>	
C272	Item characteristic	C	R		
7081	Item characteristic code	C an..3	R an..3	<b>8 Product</b>	
1131	Code list identification code	C an..17	N	Not used	
3055	Code list responsible agency code	C an..3	R an..3	<b>91 Assigned by seller or seller's agent</b> <b>92 Assigned by buyer or buyer's agent</b>	
C273	Item description	C	R		
7009	Item description code	C an..17	N	Not used	
1131	Code list identification code	C an..17	N	Not used	
3055	Code list responsible agency code	C an..3	N	Not used	
7008	Item description	C an..256	R an..256	material description - short text part 1	
7008	Item description	C an..256	C an..256	material description - short text part 2	
3453	Language name code	C an..3	N	Not used	
7383	Surface or layer code	C an..3	N	Not used	

**Remark:**

**Example:**

IMD+F+8::91+:::Article Description 1:Article Description 2'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1030	<b>SG28</b>	R	999	1	<b>Ordered Articles</b>
	1080	31 <b>QTY</b>	M	1	2	<b>Quantity</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
QTY				
C186	Quantity details	M	M	
6063	Quantity type code qualifier	M an..3	M an..3	<b>21 Ordered quantity</b>
6060	Quantity	M an..35	M an..35	
6411	Measurement unit code	C an..8	C an..8	use UN/ECE recommendation 20, for example <b>PCE Piece</b>

**Remark:**

Ordered Quantity

**Example:**

QTY+21:200:PCE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1030		<b>SG28</b>	R	999	1	Ordered Articles
1110	32	<b>DTM</b>	M	1	2	Delivery Date requested

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>2 Delivery date/time, requested</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

**Example:**

DTM+2:20210601:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1030	<b>SG28</b>	R	999	1	<b>Ordered Articles</b>
	1120	<b>MOA</b>	C	1	2	<b>Line item amount</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	Goods item total minus allowances plus charges for line item <b>203 Line item amount</b>
5004	Monetary amount	C n..35	R n..35	
6345	Currency identification code	C an..3	C an..3	use ISO 4217 three alpha code, for example <b>EUR Euro</b>
6343	Currency type code qualifier	C an..3	N	Not used
4405	Status description code	C an..3	N	Not used

**Remark:**

Only used in case of surcharges

**Example:**

MOA+203:760.00:EUR'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1030		<b>SG28</b>	R	999	1	Ordered Articles
1200	34	<b>FTX</b>	C	20	2	General information

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	<b>LIN Line item</b>
4453	Free text function code	C an..3	N	Not used
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
4440	Free text	C an..512	N	Not used
3453	Language name code	C an..3	C an..3	for example (other ISO-Codes agreeable) <b>DE German</b> <b>EN English</b> <b>FR French</b>
4447	Free text format code	C an..3	N	Not used

**Remark:**

**Example:**

FTX+LIN+++Free text+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

**Segments**

Counter	No	Tag	St	MaxOcc	Level	Name
	1210	<b>SG29</b>	C	999	2	<b>Additional configurable material information</b>
	1220	35 <b>CCI</b>	M	1	2	<b>Characteristics</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CCI				
7059	Class type code	C an..3	R an..3	<b>3 Component of measurable quantity</b>
C502	Measurement details	C	R	
6313	Measured attribute code	C an..3	R an..3	<b>ZZZ Mutually defined</b>
6321	Measurement significance code	C an..3	R an..3	<b>4 Equal to</b>
6155	Non-discrete measurement name code	C an..17	N	Not used
6154	Non-discrete measurement name	C an..70	C an..70	Characteristics text
C240	Characteristic description	C	N	
7037	Characteristic description code	M an..17	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
7036	Characteristic description	C an..35	N	Not used
7036	Characteristic description	C an..35	N	Not used
4051	Characteristic relevance code	C an..3	R an..3	<b>2 Required within orders</b>

**Remark:**

**Example:**

CCI+3+ZZZ:4::CHARC\_TXT+2'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1210	<b>SG29</b>	C	999	2	Additional configurable material information
	1230	36 <b>CAV</b>	R	1	3	Specification common product characteristic by value

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CAV				
C889	Characteristic value	M	M	
7111	Characteristic value description code	C an..3	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	C an..3	<b>91 Assigned by seller or seller's agent</b> <b>92 Assigned by buyer or buyer's agent</b>
7110	Characteristic value description	C an..35	C an..35	
7110	Characteristic value description	C an..35	N	Not used

**Remark:**

**Example:**

CAV+ : : 92 : VALUE '

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1320	<b>SG32</b>	C	1	2	Item Net Price
	1330	37 <b>PRI</b>	M	1	2	Price details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PRI				
C509	Price information	C	R	
5125	Price code qualifier	M an..3	M an..3	<b>AAA Calculation net</b>
5118	Price amount	C n..15	R n..15	Net unit price (NTP)
5375	Price type code	C an..3	N	Not used
5387	Price specification code	C an..3	N	Not used
5284	Unit price basis quantity	C n..9	C n..9	
6411	Measurement unit code	C an..8	C an..8	use UN/ECE recommendation 20, for example <b>PCE Piece</b>
5213	Sub-line item price change operation code	C an..3	N	Not used

**Remark:**

**Example:**

PRI+AAA:380.00:::100:PCE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)



# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1320	<b>SG32</b>	C	1	2	Item Net Price
	1340	<b>CUX</b>	C	1	3	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	R	
6347	Currency usage code qualifier	M an..3	M an..3	<b>2 Reference currency</b>
6345	Currency identification code	C an..3	R an..3	use ISO 4217 three alpha code, for example <b>EUR Euro</b>
6343	Currency type code qualifier	C an..3	N	Not used
6348	Currency rate	C n..4	N	Not used
C504	Currency details	C	N	
6347	Currency usage code qualifier	M an..3	N	Not used
6345	Currency identification code	C an..3	N	Not used
6343	Currency type code qualifier	C an..3	N	Not used
6348	Currency rate	C n..4	N	Not used
5402	Currency exchange rate	C n..12	N	Not used
6341	Exchange rate currency market identifier	C an..3	N	Not used

**Remark:**

**Example:**

CUX+2 : 'EUR'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1380		<b>SG33</b>	C	1	2	<b>Offer number</b>
1390	39	<b>RFF</b>	M	1	2	<b>Reference</b>

		Standard	Implementation		
Tag	Name	St Format	St Format	Usage / Remark	
RFF					
C506	Reference	M	R		
1153	Reference code qualifier	M an..3	M an..3	<b>AAG Offer number</b>	
1154	Reference identifier	C an..70	R an..70		
1156	Document line identifier	C an..6	C an..6	Line number	
4000	Reference version identifier	C an..35	N	Not used	
1060	Revision identifier	C an..6	N	Not used	

**Remark:**

**Example:**

RFF+AAG:1234567890:1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1380	<b>SG33</b>	C	1	2	<b>Offer number</b>
	1400	40 <b>DTM</b>	C	1	3	<b>Date/time/period</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>171 Reference date/time</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

**Example:**

DTM+171:20210401:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1380	<b>SG33</b>	C	1	2	<b>Frame contract</b>
	1390	41 <b>RFF</b>	M	1	2	<b>Reference</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	R	
1153	Reference code qualifier	M an..3	M an..3	<b>CT Contract number</b>
1154	Reference identifier	C an..70	R an..70	
1156	Document line identifier	C an..6	C an..6	Line number
4000	Reference version identifier	C an..35	N	Not used
1060	Revision identifier	C an..6	N	Not used

**Remark:**

**Example:**

RFF+CT:324363:X'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1380		<b>SG33</b>	C	1	2	<b>Frame contract</b>
1400	42	<b>DTM</b>	C	1	3	<b>Date/time/period</b>

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	<b>171 Reference date/time</b>
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	<b>102 CCYYMMDD</b>

**Remark:**

**Example:**

DTM+171:20210401:102'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

**Segments**

Counter	No	Tag	St	MaxOcc	Level	Name
1560		<b>SG37</b>	C	1	2	Place/port of discharge
1570	43	<b>LOC</b>	M	1	2	Place/location identification

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	<b>11 Place/port of discharge</b>
C517	Location identification	C	R	
3225	Location name code	C an..35	R an..35	Place Of Discharge Identification Coded
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3224	Location name	C an..256	N	Not used
C519	Related location one identification	C	N	
3223	First related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3222	First related location name	C an..70	N	Not used
C553	Related location two identification	C	N	
3233	Second related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3232	Second related location name	C an..70	N	Not used
5479	Relation code	C an..3	N	Not used

**Remark:**

**Example:**

LOC+11+W0815'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
1560		<b>SG37</b>	C	1	2	<b>Additional internal destination</b>
1570	44	<b>LOC</b>	M	1	2	<b>Place/location identification</b>

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
<b>LOC</b>				
3227	Location function code qualifier	M an..3	M an..3	<b>159 Additional internal destination</b>
C517	Location identification	C	R	
3225	Location name code	C an..35	R an..35	Additional internal destination coded
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3224	Location name	C an..256	N	Not used
C519	Related location one identification	C	N	
3223	First related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3222	First related location name	C an..70	N	Not used
C553	Related location two identification	C	N	
3233	Second related location name code	C an..25	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3232	Second related location name	C an..70	N	Not used
5479	Relation code	C an..3	N	Not used

**Remark:**

**Example:**

LOC+159+GH-9876'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

Segments

Counter	No	Tag	St	MaxOcc	Level	Name
	1650	<b>SG39</b>	D	1	2	Consignee position level (required on header or position level)
	1660	45 <b>NAD</b>	M	1	2	Consignee Name and Address

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	<b>CN Consignee</b> <b>ST Ship to</b>
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	C an..3	<b>91 Assigned by seller or seller's agent</b> <b>92 Assigned by buyer or buyer's agent</b>
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
3124	Name and address description	C an..35	N	Not used
C080	Party name	C	D	
3036	Party name	M an..35	M an..35	
3036	Party name	C an..35	C an..35	
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3045	Party name format code	C an..3	N	Not used
C059	Street	C	D	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	N	Not used
3042	Street and number or post office box identifier	C an..35	N	Not used
3042	Street and number or post office box identifier	C an..35	N	Not used
3164	City name	C an..35	D an..35	
C819	Country sub-entity details	C	N	
3229	Country sub-entity name code	C an..9	N	Not used
1131	Code list identification code	C an..17	N	Not used
3055	Code list responsible agency code	C an..3	N	Not used
3228	Country sub-entity name	C an..70	N	Not used
3251	Postal identification code	C an..17	D an..17	
3207	Country name code	C an..3	D an..3	use ISO 3166-1, for example <b>DE GERMANY</b>

Remark:

If ship-to number is not available, name and address details are required

Example:

NAD+CN+0815::92++Consignee Name 1:Consignee Name 2+Consignee Street 15+Consignee City++94315+DE'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)



Purchase Order Message

**Segments**

Counter	No	Tag	St	MaxOcc	Level	Name
2330	46	<b>UNS</b>	M	1	0	Section control

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNS				
0081	Section identification	M a1	M a1	<b>S Detail/summary section separation</b>

**Remark:**

**Example:**

UNS+S'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
2340	47	<b>MOA</b>	C	1	1	Total Amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	<b>128 Total amount</b>
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	use ISO 4217 three alpha code, for example <b>EUR Euro</b>
6343	Currency type code qualifier	C an..3	N	Not used
4405	Status description code	C an..3	N	Not used

**Remark:**

**Example:**

MOA+128:760.00:EUR'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
2400	48	<b>UNT</b>	M	1	0	Message trailer

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in the message	M n..6	M n..6	
0062	Message reference number	M an..14	M an..14	

**Remark:**

**Example:**

UNT+46+1'

No = Consecutive segment number  
 MaxOcc = Maximum occurrence of the segment/group  
 Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
 O=Optional, F=Floating, D=Dependent, A=Advised,  
 S=Situational, X=Not used, N=Not recommended)

# EDIFACT ORDERS D.05B



## Purchase Order Message

### Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0000	49	<b>UNZ</b>	M	1	0	Interchange trailer

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNZ				
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

**Remark:**

**Example:**

UNZ+1+0000100002'

No = Consecutive segment number  
MaxOcc = Maximum occurrence of the segment/group  
Counter = Counter of segment/group within the standard

St = Status (M=Mandatory, R=Required, C=Conditional,  
O=Optional, F=Floating, D=Dependent, A=Advised,  
S=Situational, X=Not used, N=Not recommended)

Purchase Order Message

Example message

No. Tag	Example
0000 <b>UNA</b>	UNA:+.? '
0000 <b>UNB</b>	UNB+UNOC:3+YourSenderID:YourPartnerID-code-qualifier+ECCREX-TEST:ZZ+210226:1321+0000100002+++++1'
0010 <b>UNH</b>	UNH+1+ORDERS:D:05B:UN'
0020 <b>BGM</b>	BGM+220+1234567890+9'
0030 <b>DTM</b>	DTM+137:20210226:102'
0030 <b>DTM</b>	DTM+2:20210301:102'
0030 <b>DTM</b>	DTM+4:20210226:102'
0070 <b>FTX</b>	FTX+AAI+++Allgemeine Informationen+DE'
0070 <b>FTX</b>	FTX+ORI+++Bestellanweisung+DE'
0070 <b>FTX</b>	FTX+COI+++Lieferung gemäss Vereinbarung+DE'
<b>SG1</b>	
0100 <b>RFF</b>	RFF+AAG:Offer-123456:1'
0110 <b>DTM</b>	DTM+171:20210201:102'
<b>SG1</b>	
0100 <b>RFF</b>	RFF+CT:9678-456-123V1:X'
0110 <b>DTM</b>	DTM+171:20210201:102'
<b>SG2</b>	
0130 <b>NAD</b>	NAD+BY+6110566::92++Buyer Name 1:Buyer Name 2+Buyer Street 1+Buyer City++94315+DE'
<b>SG3</b>	
0170 <b>RFF</b>	RFF+VA:DE812210222'
<b>SG5</b>	
0230 <b>CTA</b>	CTA+IC+Buyer Purch. Dep.:Buyers Contact'
0240 <b>COM</b>	COM+?+49(711)811-0:TE'
<b>SG2</b>	
0130 <b>NAD</b>	NAD+SU+123456789::92++Seller Name1:Sellerr Name 2+Sellerr Street 2+Seller City++98765+DE'
<b>SG3</b>	
0170 <b>RFF</b>	RFF+VA:DE812210222'
<b>SG5</b>	
0230 <b>CTA</b>	CTA+IC+Seller Department:Seller Contact'
0240 <b>COM</b>	COM+?+49(711)811-0:TE'
<b>SG2</b>	
0130 <b>NAD</b>	NAD+CN+7744987::92++Consignee Name 1:Consignee Name 2+Consignee Street 15+Consignee City++94315+DE'
0140 <b>LOC</b>	LOC+11+P0815'

Purchase Order Message

Example message

No. Tag	Example
0140 LOC	LOC+159+PVB-4711'
SG5	
0230 CTA	CTA+IC+Consignee Dep.:Consignee Contact'
0240 COM	COM+?+49(711)811-0:TE'
SG28	
1040 LIN	LIN+00010++Buyers item number:BP+1:1'
1050 PIA	PIA+5+Supplier Article Number:SA'
1060 IMD	IMD+F+8::91+:::Article Description 1:Article Description 2'
1080 QTY	QTY+21:200:PCE'
1110 DTM	DTM+2:20210601:102'
1120 MOA	MOA+203:760.00:EUR'
1200 FTX	FTX+LIN+++Free text+DE'
SG29	
1220 CCI	CCI+3+ZZZ:4::CHARC_TXT++2'
1230 CAV	CAV+:::92:VALUE'
SG32	
1330 PRI	PRI+AAA:380.00:::100:PCE'
1340 CUX	CUX+2:EUR'
SG33	
1390 RFF	RFF+AAG:1234567890:1'
1400 DTM	DTM+171:20210401:102'
SG33	
1390 RFF	RFF+CT:324363:X'
1400 DTM	DTM+171:20210401:102'
SG37	
1570 LOC	LOC+11+W0815'
SG37	
1570 LOC	LOC+159+GH-9876'
SG39	
1660 NAD	NAD+CN+0815::92++Consignee Name 1:Consignee Name 2+Consignee Street 15+Consignee City++94315+DE'
2330 UNS	UNS+S'
2340 MOA	MOA+128:760.00:EUR'
2400 UNT	UNT+46+1'
0000 UNZ	UNZ+1+0000100002'

**Change History**

<b>Date</b>	<b>Changes</b>
12.05.2021	Version V1
11.08.2021	Version V2 G_SG1 removed Changes in NAD+ST/CN